




COLONNE DE GUIDAGE AVEC PLOT



REF: M1000 - D1 - L1 - L2

Matière: 1.7131 - Dureté: 61-63 HRC  
Interchangeable avec E1000


D1	D1	L1	L2	D2	D3	K	X
14	15	17	35	20	25	6	9
			55				
			75				
			95				
14	15	22	25	20	25	6	9
			35				
			55				
			75				
			95				
14	15	27	115	20	25	6	9
			135				
			155				
			25				
			35				
			55				
14	15	36	75	20	25	6	9
			95				
			115				
			135				
			155				
			35				
14	15	46	55	20	25	6	9
			75				
			95				
			115				
			135				
14	15	56	35	20	25	6	9
			55				
			75				
			95				



D1	D1	L1	L2	D2	D3	K	X
14	15	56	115	20	25	6	9
			135				
14	15	66	35	20	25	6	9
			55				
			75				
			95				
			115				
14	15	76	55	20	25	6	9
			75				
			95				
14	15	86	55	20	25	6	9
			75				
			95				
14	15	96	55	20	25	6	9
			75				
			95				
18	20	17	35	26	31	6	9
			55				
			75				
			95				
			115				
18	20	22	35	26	31	6	9
			55				
			75				
			95				
			115				
			135				
18	20	27	35	26	31	6	9
			55				
			75				
			95				
			115				
			135				
			155				
			195				
			235				
18	20	36	35	26	31	6	9
			55				
			75				
			95				
			115				
			135				
			155				
			195				
			235				
18	20	46	35	26	31	6	9
			55				
			75				
			95				
			115				
			135				
			155				
			195				
			235				
18	20	56	35	26	31	6	9
			55				



COLONNE DE GUIDAGE AVEC PLOT



REF: M1000 - D1 - L1 - L2

Matière: 1.7131 - Dureté: 61-63 HRC  
Interchangeable avec E1000


D1	D1	L1	L2	D2	D3	K	X
18	20	56	75	26	31	6	9
			95				
			115				
			135				
			155				
18	20	66	195	26	31	6	9
			35				
			55				
			75				
			95				
18	20	76	115	26	31	6	9
			135				
			155				
			195				
			55				
18	20	86	75	26	31	6	9
			95				
			115				
			135				
			155				
18	20	96	195	26	31	6	9
			55				
			75				
			95				
			115				
18	20	116	75	26	31	6	9
			95				



D1	D1	L1	L2	D2	D3	K	X
18	20	116	15	126	31	6	9
18	20	136	75	263	16		9
			95				
			115				
22	24	22	35	30	35	6	9
			55				
			75				
			95				
			115				
22	24	27	135	30	35	6	9
			35				
			55				
			75				
			95				
			115				
22	24	36	155	30	35	6	9
			195				
			235				
			275				
			35				
			55				
			75				
22	24	46	95	30	35	6	9
			115				
			155				
			195				
			235				
			35				
			55				
22	24	56	75	30	35	6	9
			95				
			115				
			155				
			195				
			35				
22	24	66	55	30	35	6	9
			75				
			95				
			115				
			155				
22	24	76	195	30	35	6	9
			55				
			75				
			95				
			115				
			135				
155							
195							



# COLONNE DE GUIDAGE AVEC PLOT



**REF: M1000 - D1 - L1 - L2**


Matière: 1.7131 - Dureté: 61-63 HRC  
Interchangeable avec E1000

D1	D1	L1	L2	D2	D3	K	X
22	24	86	35	30	35	69	
			75				
			95				
			115				
			135				
			155				
			195				
22	24	96	235	30	35	6	9
			75				
			95				
			115				
			135				
			155				
22	24	1163	195	30	56		9
			235				
			75				
			95				
			115				
22	24	136	115	30	35	69	
			155				
			95				
22	24	1563	115	30	56		9
			155				
30	32	27	55	42	47	69	
			75				
			95				
			115				
			155				
			195				
			235				
30	32	36	275	42	47	6	9
			55				
			75				



D1	D1	L1	L2	D2	D3	K	X
30	32	36	95	42	47	6	9
			115				
			155				
			195				
			235				
			275				
30	32	46	55	42	47	6	9
			75				
			95				
			115				
			155				
			195				
			235				
			275				
30	32	56	55	42	47	6	9
			75				
			95				
			115				
			155				
			195				
			235				
			275				
30	32	66	55	42	47	6	9
			75				
			95				
			115				
			155				
			195				
			235				
			275				
30	32	76	55	42	47	6	9
			75				
			95				
			115				
			155				
			195				
			235				
			30				
75							
95							
115							
155							
195							
30	32	96	75	42	47	6	9
			95				
			115				
			155				
30	32	116	75	42	47	6	9
			95				
			115				
			155				
30	32	136	95	24	47	6	9
			115				

## COLONNE DE GUIDAGE AVEC PLOT



**REF: M1000 - D1 - L1 - L2**

Matière: 1.7131 - Dureté: 61-63 HRC  
Interchangeable avec E1000

D1	D1	L1	L2	D2	D3	K	X
30	32	1364	155	24	76		9
			195				
30	32	1564	95	24	76		9
			115				
			155				
30	32	1764	115	24	76		9
			155				
			195				
30	32	1964	115	24	76		9
			155				
			195				
40	42	36	75	54	59	10	12
			95				
			115				
			155				
40	42	46	75	54	59	10	12
			95				
			115				
			155				
40	42	56	75	54	59	10	12
			95				
			115				
			155				
40	42	66	75	54	59	10	12
			95				
			115				
			155				
40	42	76	75	54	59	10	12
			95				
			115				
			155				
40	42	86	75	54	59	10	12
			95				
			115				
			155				
40	42	96	75	54	59	10	12



D1	D1	L1	L2	D2	D3	K	X
40	42	96	95	54	59	10	12
			115				
			155				
			195				
40	42	1165	75	45	91	01	2
			95				
			115				
			155				
40	42	1365	195	45	91	0	12
			115				
			155				
			95				
40	42	1565	115	45	91	01	2
			155				
			195				
40	42	1765	115	45	91	0	12
			155				
			195				
			235				
40	42	1965	115	45	91	01	2
			155				
			195				
			235				
40	42	2165	195	45	91	0	12
			215				
40	42	2465	215	45	91	01	2
			245				
40	42	256	215	54	59	10	12
			255				

Existe également avec traitement DLC sans gorges de graissage



REF: M1000DLC - D1 - L1 - L2